CATALOGUE

No. 10.

Fire Place Furnishings.

1905.

CATALOGUE NO. 10

—OF THE—

PEERLESS MANUFACTURING CO.

INCORPORATED.

LOUISVILLE, KY., U. S. A.

OFFICE AND PLANT:
ORMSBY AVENUE AND WILSON STREET,
FROM 14TH TO 15TH STREETS.

Patterns and designs not illustrated in this Catalogue have been discontinued.

Goods sold exclusively to the trade only.

1905.



THE PLANT OF THE PEERLESS MANUFACTURING CO.

JANUARY 1, 1905.

Ormsby Avenue, Wilson Street, 14th and 15th Streets. 350 feet long, 620 feet deep.

We Manufacture nothing but Grates.

MONARCH AND BUCKEYE

PORTABLE OR SET GRATES.

The continued use for over thirteen years of the Donble Draft Portable Grates, or Fireplaces, has proven that they are the most ECONOMICAL, PRACTICAL AND SATISFACTORY fireplaces made. They have the advantage over the regnlar common brick setting in that they are—

A complete Grate all monnted ready for setting.

They reqnire no fire brick or fire tile in setting.

They can be set by any mason.

They overcome imperfect chimneys.

They prevent smoky chimneys and puffing of smoke into the room.

The dampers can be so operated as to control the fire. By opening the lower damper which is directly over and close to the fire, it forms a strong direct draft, which as soon as it heats the flne, forms a rapid current of air, thus carrying off the dense smoke. When the fire is well under way the lower damper can be closed, the upper one remaining open. The heat is then reflected into the room.

The upper damper in all grates is operated with a malleable iron thumb-screw.

This damper can be closed tight when grate is not in use, preventing dust or soot from entering the room.

Has a loose cross piece between the upper and lower dampers, which prevents it from cracking or warping, and can be easily replaced. This piece can be removed in setting the grate, so as to leave the top free and open, and permit of easily wiring the grate back and plastering up the hood. This is a featnre which is contained in no other grates.

Some of these grates are so arranged that they can be operated same as a stove and fire can be kept for an indefinite period.

They are also provided with shaking bottoms.

They are all brick lined, or iron backed, with air chambers at the side, and require tile only at the rear of the fire.

Each kind is fully described in this book.

THE IMPROVED MONARCH GRATE.

Ranks first among Portable Grates or Fireplaces.

The leading featnre of this grate wherein it excels all others is—

Its cnrved corrngated top which reflects the heat into the room.

Improved method of operating upper damper (with thumb-screw) which permits it to be opened any desired width without danger of dropping.

Damper attachments are of malleable Iron.

Extra heavy grate bars. Back bar and trunions are protected under back, preventing same from warping or being clogged with cinders.

It has donble basket with extra wide space between them, which allows the ashes to fall behind the screen.

The above improvements are not found in any other grate made.

It also has—

Damper in both basket front and ash screen whereby fire can be kept under control an indefinite period, same as a stove.

Fire pot is fnll lined with fire tile to a height that will protect back from live coals. The tile can be renewed without removing the grate.

THE SHAKER HEAD IS OF MALLEABLE IRON. The grate bottom, besides freeing itself of ashes when being operated, opens np the fire and does not jar the grate from position.

All parts are extra heavy and so constructed as not to be easily burned or warped, and can be readily renewed if necessary.

Hoods of all Monarch frames are donble, or lined, so as to preserve the plating.



No. 1. Crosspiece, loose.
3. Upper Damper.
4. Lower or Direct Damper.
6. Ash space between Baskets.
8. Outside Basket with Slide.
9. Inside Basket or Fire Front.
10. Shaker Fingers.
11. Shaker Head.
12. Ash Screen or Crown Piece.
14. Fire Tile.
15. Summer Piece.
16. Jamb which can be removed so as to replace Tile.

SECTIONAL AND REAR VIEW OF THE IMPROVED BACK FOR MONARCH GRATES.

Now used on all Patterns.
Has corrugated curved Top, which reflects the heat into the room. The improved method of opening the upper Damper permits it to be opened to any desired width without danger of dropping, all parts are made of malleable iron and will not break.
All parts extra heavy.

Open view of the Improved Monarch Grate, showing curved top which radiates heat into the room.

THE MONARCH GRATE.

Long Summer Piece Series.
Made with Shaker Bottom. Damper in Basket Front and Ash Screen.
Basket Front has slide in so as to control fire, and to be closed when shaking, to prevent ashes and dust from falling on hearth.
Space between Ash Screen and Basket to permit of ashes falling behind the Screen.
Summer Piece rests on Ash Screen, so as to cover Basket Front when in position.
This grate is mounted with square back series of deep backs as shown on page 3.
Shaker Bottom made extra heavy. Finished only in best of plate. Basket Front always plated.

THE NEW MONARCH.

The latest of all grates.

Has all known modern improvements.

Has more desirable features than any grate made.

Has the largest fire pot of any grate made.

Has no metal exposed to fire except back damper.

Has curved tile top, very thick. The curved shape reflects the heat into the room.

Top tile is so arranged that cracking of same will not injure the grate.

Has double basket front with damper in same. Ashes fall between these baskets under grate.

Has damper in ash screen so as to control the fire.

Has double or lined hoods to frames so as to preserve the plating.

Has three top dampers:

Upper, or Flue Damper, operated by our improved thumb-screw attachment, whereby damper can be opened any desired width with great ease, controlling the draft up the chimney, and can be closed tight to prevent dust or soot from entering the room.

Direct, or Lower Damper, which is used in starting the fire; being directly over the fire, acts the same as a blower, carrying off first heavy smoke and gases, soon heating the flue, thus producing a quick fire and overcomes smoking chimneys. This damper is to be closed as soon as fire is under way, so as to reflect heat into the room.

Down, or Check Draft Damper. This damper controls a flue 1½ wide from base of grate under fire to top of back. This flue is to be used in checking and preventing draft through the fire, causing a down draft whereby fire can be kept alive, consuming limited amount of fuel. It is also used when shaking the grate, to carry the dust up the chimney.

Extra heavy rocker shaker bottom, with trunions and back bar protected from fire under back.

Back bolted together allowing for expansion.

Fire tile above fire bed set in asbestos cement.

Size of fire pot, front 24, back 21½, depth 10 inches.

Outside depth of grate over all 16 inches.

Width of back over all 28½ inches.

Shipping weight, 17 tile, 370 lbs.

Shipping weight, 16 tile, 325 lbs.

Open view of the New Monarch, showing Double Basket Front and curved Top Tile.



Sectional view of the New Monarch showing Down Draft Flue, curved Tile Top and Top Dampers.

No. 1. Upper or Flue Damper.
2. Lower or Direct Damper.
3. Down Draft Damper.
4. Top Tile.
5 & 6. Anchor Irons holdiug Top Tile.
7. Outside Basket.
8. Inside Basket.
9. Ash space between Baskets.
10. Ash Screen or Crown Piece.
11. Shaker Bottom.
12. Side Fire Tile.
13. Back Fire Tile.
14. Down Draft Flue.
15. Shell to Down Draft Flue.
16. Opening under Grate for Down Draft Flue.
17. Jamb on which Basket hangs. Right Jamb can be removed so as to replace Fire Tile without removing Grate.
18. Arch Bar or Double Hood.



Side and Rear view of the New Monarch, showing Dampers, Tile Top and Down Draft Flue. Note mode of holding Top Tile in position. Also screw arrangement to open upper Damper.

THE NEW MONARCH.

No. 1122. 30½ in. wide, 30¼ in. high. 24 in. grate.
24½ in. wide, 30¼ in. high. 20 in. grate.

No. 1133. 30½ in. wide, 30¼ in. high. 24 in. grate.

THE NEW MONARCH.

See page 6 for description.

THE COLONIAL.

No. 1135. 30½ by 30¼. 24 inch grate.

Has same back as The New Monarch, see page 6, omitting the down draft and upper damper attachment. Upper damper throws backward. Finished in either all Plated, Black with Brass Columns and Balls, or all Black with Brass Balls on corners. Depth of back 15¼ inches, width across back 27¾ inches.



No. 1116—17. 30½ by 30¼. 24 inch grate.

No. 1116—16. 21½ by 30¼. 20 inch grate.

THE MONARCH GRATE.

Double Basket Front, Shaker Bottom.
See Back and Side view page 3.
This grate can be furnished with Down or Check Draft
same as shown in the New Monarch.

No. 111C—17. 30½ by 30¼. 24 inch grate.

No. 1110—16. 24½ by 30¼. 20 inch grate.

THE MONARCH GRATE.

Double Basket Front, Shaker Bottom.
See Back and Side view page 3.
This grate can be furnished with Down or Check Draft
same as shown in the New Monarch.

No. 1123. 30½ by 30¼. 24 inch grate.



No. 1119. 30½ by 30¼. 20 inch grate.

THE MONARCH GRATE.

Double Basket Front, Shaker Bottom.
See Back and Side view page 3.
This grate can be furnished with Down or Check Draft
same as shown in the New Monarch.



No. 1117. 30½ by 30¼. 24 inch grate.
1108. 24½ by 30¼. 20 inch grate.



No. 1106. 30½ by 30¼. 24 inch grate.
1109. 24½ by 30¼. 20 inch grate.

THE MONARCH GRATE.

Long Summer Piece Series. See Open view page 9.
Shaker Bottom, extra plated.
These grates can be furnished with Down or Check Draft same as shown in the New Monarch.

No. 1113–17–24. 30½ by 30¼. 24 inch grate.

No. 1113–16. 24½ by 30¼. 20 inch grate.

THE MONARCH "B."

This grate differs from the regular Monarch, in that the outside basket is removable, the shaker bottom is of medium weight, and is not so heavily plated.
This grate can be furnished 30½ by 30¼, 20 inch opening.

No. 1115—17. 30½ by 30¼. 24 inch grate.

No. 1115—16. 24½ by 30¼. 20 inch grate.

THE MAJESTIC GRATE.

Double Front, Damper in Crown, Shaker Bottom.
Has same Back and Damper arrangement as the Monarch (see page 3) but with medium weight Bottom.
Well plated.

THE BUCKEYE GRATE.

This Grate is now made with curved top, and our improved thumb-screw or worm method of opening upper damper—same as in the Monarch—and for a medium price grate suitable for soft coal, has no equal either in finish, construction or weight. All castings exposed to fire are heavier than any grate made of similar construction.

These Grates differ from the Monarch, in that they have fire tile in back only, with iron sides and air chamber which prevents burning out. The trunions and back bar of the shaker bottom are not protected though, as in the Monarch.

They are made either with shaker or dumping bottom, open, or damper in, ash screen.

As these Grates do not require any material in setting, have the double draft system, preventing smoking chimneys, we recommend them for all cases where a medium price grate is wanted.

NOTE—These grates have loose cross piece between dampers which can be removed so as to permit of free access to fasten in grate. See page 21.

Side view of the Buckeye Grate, showing curved top and damper attachments

Open view of the Buckeye Grate, showing curved top which reflects the heat into the room.

THE BUCKEYE GRATE.

All patterns have curved top with screw attachment to upper damper.

No. 1047. 30½ in wide, 30¼ in. high. 24 in. grate.
Made either with Plain Dumping or Shaker Bottom.

No. 1046. 24½ in. wide, 30¼ in. high. 20 in. grate.
Made either with Plain Dumping or Shaker Bottom. Can be furnished with Ash Screen same as 1047, at an additional cost.

THE BUCKEYE GRATE.

All patterns have Curved Top with Screw attachment to Upper Damper.
See pages 15 and 16.

No. 1035. 24½ by 30¼. 20 inch grate.

No. 1038. 30½ by 30¼. 20 inch grate.

THE BUCKEYE GRATE.

Made either with Plain Dumping or Shaker Bottom.
See pages 15 and 16.
These Grates can be furnished with Damper in Ash Screen at an additional cost.

No. 1048. 30½ by 30¾. 20 inch grate.

No. 1049. 24½ by 30¼. 20 inch grate.

THE BUCKEYE GRATE.

Made either with Plain Dumping or Shaker Bottom.
See pages 15 and 16.

No. 1042.

Open view of 1042 and 1043.

THE BUCKEYE GRATE.

Stamped Steel Summer Piece.
Made either with Plain Dumping or Shaker Bottom.

No. 1042. 30½ by 30¼. 24 inch grate.
1043. 24½ by 30¼. 20 inch grate.
With Single Brick Back.

No. 1040—17. 30½ by 30¼. 24 inch grate.
1040—16. 24½ by 30¼. 20 inch grate.
With Fire Pot Full Tile Lined and with Shaker Bottom.

See pages 15 and 16.

STYLE A—BASKET.

STYLE B—BASKET.
With Cross Piece removed.

THE BUCKEYE.

Series of low price Grates with Steel Summer Piece to floor, with Black Ash Screen and Basket. These Grates have all the improvements, such as Curved Top, Screw attachment to Upper Damper, but are made only with Plain Dumping Bottom. Open view of Grate shows Cross Piece between Dampers removed so as to permit of free access in fastening in the grates. This feature applies to all Grates except the New Monarch.

Baskets are interchangeable.

No. 1045—16. 24½ by 30¼. 20 inch. grate.
B Basket sent with this grate.

No. 1052.
A Basket sent with this grate.

THE BUCKEYE.

Made in both 16 and 17 Tile sizes.
See Description and Open views page 21.

No. 1051. 24½ by 30¼. 20 inch grate.
30½ by 30¼. 24 inch grate.

No. 1053. 24½ by 30¼. 20 inch grate.

.E P . EYE.

See Desc Open view page 21.
No. 1051 can ned in 16 and 17 Tile sizes.
A Basket alwa sent unless otherwise ordered.

GAS LOG FIRE PLACES.

These Grates are complete with Log Valve and Mixer, ready for connection and use. The back is made of heavy sheet steel, double reflector top, with corrugations in the back, which permits the air to pass from the base up around and through the openings and the log, and besides assisting combustion, becomes heated and passes into the room, greatly adding to the quality of the grate. This feature is in no other grate made.

We guarantee the logs to be the best made, and so constructed as to give a flame on the entire face of the log, with perfect combustion and giving intense heat.

As these grates are intended for service as well as appearance, we construct them with different size logs to suit the service required of them; the larger the log the greater the heat.

All numbers except 972 and 979 are extra heavy plated with *solid brass* reflecting sides and base, and *solid brass* standards and rail, and we guarantee the construction, workmanship and burning qualities of the log. All numbers except 972 and 979 can be made in any desired finish, without extra charge.

Nos. 972 and 979, while they take the same log as the other grates, are not as heavily plated, have plated copper reflecting sides, plated iron standards and rail, have corrugations in back, but constructed different from the other numbers. While the construction is different, the heating quality of the grate is the same.

GAS GRATES.

Patented January 6, 1903.

All Gas Grates have the improved multiple burners, so constructed that each burner throws its flame over the entire face of the grate; can be turned down very low, and every burner remain burning; perfect combustion, no escaping gas, can be lighted instantly after gas is turned on and will not ignite in the mixer, and we guarantee *Our Multiple Burner Grates to be the best Gas Grates made and to work satisfactorily.*

They are recommended to be used where continuous fires are not required, or in connection with furnace heat. When properly used, they are the most economical grate in use. They are always ready and can be immediately extinguished when not wanted. No labor, ashes or dirt.

Grates are 3½ inches deep.

Summer Pieces are included with all grates except No. 940 unless otherwise ordered.

Eight row burners are recommended for extra service.

We do not use dampers in our best design of grates as they are of no value, and mar the appearance of some designs.

Always specify whether for natural or manufactured gas.

Made in any desired plating or black finish, but recommend Oxidized Copper or Brass plating as the best plating for gas.

1. Damper Rod.
2. Gas Chambers.
3. Cast Iron Back to Burner.
4. Valve.
5. Fret.
6. Crown.
7. Mixer.
8. Sheet Iron Back.
9. Reservoir and Canal to feed each row.
10. Damper.

SECTIONAL VIEW.

The Multiple Burner Gas Grate showing separate gas chamber (No. 2) for each row of burners; the lower chambers being larger than the upper one form a reservoir to feed them when grate is turned low. These chambers are fed from a canal at each end extending up from lower reservoir. The back of gas chamber is of cast iron and will not rust out from moisture in chimney.

Rear view of grates, showing corrugations in back, which permits the air to pass from base up around and through openings in log.

No. 976. 30½ inches wide. 30¼ inches high.
16, 18 or 20 inch Log
Extra plated.

No. 977. 30½ inches wide. 30¼ inches high.
16 or 18 inch Log
Extra plated.

GAS LOG GRATES.

No. 976 can be furnished either in all Black with Brass Balls on corners, or Black with Brass plated Columns and Brass Balls. The latter is a very desirable finish.

No. 971—17. 30½ inches wide. 30¾ inches high.
971—16. 24½ inches wide. 30¾ inches high.
16 or 18 inch Log in 971-16.
16, 18 or 20 inch Log in 971-17.
Extra plated.

No. 970—17. 30½ inches wide. 30¾ inches high.
970—16. 24½ inches wide. 30¾ inches high.
16 to 20 inch Log in 970-17.
16 to 18 inch Log in 970-16.
Extra plated.

GAS LOG GRATES.

No. 979—17. 30½ inches wide. 30¼ inches high.
979—16. 24½ inches wide. 30¼ inches high.
16 and 18 inch Log.

No. 972—17. 30½ inches wide. 30¼ inches high.
972—16. 24½ inches wide. 30¼ inches high.
16 and 18 inch Log.

GAS LOG GRATES.

No. 940. 30½ inches wide. 30¼ inches high.
No Summer Piece Extra Plated.
Brass Standards aud Rail.

No. 946. 30½ inches wide. 30¼ inches high.
Extra plated.
Made with Summer Piece.

GAS GRATES.

No. 981—17. 30½ inches wide. 30¼ inches high.
981—16. 24½ inches wide. 30¼ inches high.
5 and 8 row Burners.



No. 983—17. 30½ inches wide. 30¼ inches high.
983—16. 24½ inches wide. 30¼ inches high.
5 or 8 row Burner.

GAS GRATES.

No. 947—17, 30½ inches wide, 30¼ inches high.
947—16, 24½ inches wide, 30¼ inches high.

No. 984—17, 30½ inches wide. 30¼ inches high.
984—16, 24½ inches wide. 30¼ inches high.

GAS GRATES.

No. 982—17. 30½ inches wide, 30¼ inches high.
982—16. 24½ inches wide, 30¼ inches high.

No. 928—17. 30½ inches wide, 30¼ inches high.
928—16. 24½ inches wide, 30¼ inches high.

GAS GRATES.



No. 975—17. 30½ inches wide, 30¼ inches high.
975—16. 24½ inches wide, 30¼ inches high.
Stamped Steel Summer Piece.

No. 980—16. 24½ inches wide, 30¼ inches high.
Stamped Steel Summer Piece.

GAS GRATES.

With Stamped Steel Summer Pieces.



No. 990. Gas Grates.
16 and 17 Tile.
All Stamped Sheet Steel.
Made either with Multiple Burner for manufactured gas or with Victor Burner for natural gas.

Gas Grates. For Natural Gas only.
No. 963–17. 30½ by 30¼.
963–16. 30½ by 30¼.
Has Cylinder Burner with adjustable Shutter to Air Mixer.
Neither Valve nor Summer Piece furnished with these grates uuless specified.
No. 975 shown on page 33, can be provided with same burner. See price list No. 965.

We can furnish any pattern of Gas Grate with Cylinder Burner for Natural Gas. Made on orders only.

THE FLUELESS AND ODORLESS GAS GRATE.

In all Gas Grates made to-day, over half of the heat produced by the gas is lost through the metal back of the grate, going up the flue through the space in the rear. The "Odorless Grate" is so constructed that there is neither any odor or waste of heat, the heat all passing into the room by two methods, having a curved face plate (Fig. 3) with air draft in front of burner (Fig. 9) passing the air to the flame it makes a quick circulation. Second, in the rear of the face plate (Fig. 3) is an air chamber (Fig. 4) the back of which is lined with asbestos board, $\frac{5}{16}$ inch thick (Fig. 2) curved to the top, thereby retaining all heat formerly lost through the back of the grate. The circulation of cold air from the floor increases in velocity according to the heat of the face plate, sufficient to carry all the heat radiated through the face place, back into the room through register (Fig. 7) beneath the hood.

Burner has adjustable valve so as to regulate flow of gas to suit all pressures. Beneath burner is a water pan. The evaporation from same unites with the air both in front of flame and through the chamber, reducing the dryness of the heated atmosphere.

The Crown Piece is removable (Fig. 8) so as to admit of free access to water pan.

We recommend this grate where it is not possible to have a flue, but where a flue is obtainable we still advise the use of either the five or eight row multiple burner grate.



SECTION VIEW OF THE NO. 950 SERIES OF FLUELESS GAS GRATE.

1. Burner.
2. Asbestos board lining to chamber.
3. Face plate covered with asbestos fibre.
4. Air flue or chamber.
5. Water pan.
6. Stop cock.
7. Register plate.
8. Removable crown piece.
9. Space for air to pass to flame.
10. Metal back to grate.
11. Inlet pipe.



No. 950. 24½ inches wide, 30¼ inches high.
Steel Summer Piece shown in No. 980 can be used with this grate.

Showing Interior view.

No. 931. Combination Gas and Coal Grate.

Has Fire Clay Balls with the celebrated English Burner and Valve, which has perfect combustion, and will not light back in mixer. When burning, resembles a coal fire, giving intense heat. Burner and Valve can be removed, and grate used for coal without any alteration. Grate is furnished complete ready for connection.

Made either 16 or 17 tile.

Furnished with Black or White imported Hollow Fillers.

Portable Gas Fire.

Using White or Black Clay Fillers and English Burner.

Non Lighting Back Cast Iron Burner.

Made in two sizes only, 16 and 18 inch.

Valve included.

English model.



THREE-STICK LOG.

FORKED-STICK LOG.

SPLIT-STICK LOG.



REGULAR LOG.



THREE-STICK LOG (BARKED.)

GAS LOGS.

COMBINATION GRATES
AND
FRAMES AND SUMMER PIECES.

In this issue we illustrate the above together, giving numbers for each.

FRAMES AND SUMMER PIECES ONLY, CANNOT BE FURNISHED AS COMBINATION GRATES.

Combination Grate consists of Frame and Summer Piece, Basket and Ash Screen (Crown). Basket and Ash Screen always sent in black. **"K" 7 inch Basket always sent unless otherwise specified.**

FIG. 9. "K" BASKET.
7 or 9 inches deep. 20 and 24 inch.



FIG. 8. "A" BASKET.
Extra heavy. 9 inches deep only. 20, 21½ and 24 inch.
Square Back.

COMBINATION GRATE.
Open view, showing Basket and Ash Screen.



FIG. 5. NO. "H" NEW CRATER BASKET.
Has 25 per cent. more draft surface, takes 25 per cent. less coal, consumes waste gas and smoke.
Can be used in all 20 inch opening Combination Grates.
7 or 9 inches deep. Extra heavy.
Ash Screen shown in Fig. 6 used with this Basket.



FIG. 6.
"O" Basket, 9 inches deep, extra heavy, corrugated bottom.
Bottom of Basket slopes upward.
Can be used with any 20 inch opening grate.
See price list for extra cost.

COMBINATION GRATES.

Open view showing Basket and Crown.



No. 1378. As Combination Grate.
1430. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high. 24 inch opening.

No. 1378. Open view.
With A 24 inch Basket.

No. 1370. As Combination Grate.
1419. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high. 24 inch opening.

No. 1372. As Combination Grate.
1422. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high. 24 inch opening.
24½ inches wide, 30¼ inches high. 20 inch opening.

No. 1371. As Combination Grate.
320. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high. 24 inch opening.

No. 1373. As Combination Grate.
1423. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high. 24 inch opening.

No. 1346. As Combination Grate
1405. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high. 20 inch opening.

No. 1343. As Combination Grate.
325. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high. 20 inch opening.

No. 1355. As Combination Grate.
1410. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high. 22 inch opening.

No. 1354. As Combination Grate.
1411. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high. 22 inch opening.

No. 1379. As Combination Grate.
1424. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high, 22 inch opening.

No. 1313. As Combination Grate.
331. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high, 20 inch opening.

No. 316-17. 30½ inches wide, 30¼ inches high. 24 inch opening.
316-16. 24½ inches wide, 30¼ inches high. 20 inch opening.

No. 338-17. 30½ inches wide, 30¼ inches high. 20 inch opening.
338-16. 24½ inches wide, 30¼ inches high. 20 inch opening.
Panel and Summer Piece is separate and always finished in Oxidized Copper. Extra plated and finished.

FRAMES AND SUMMER PIECES.

No. 1403. Flat Frieze.

No. 1402.

FRAMES AND SUMMER PIECES.

30½ inches wide, 30¼ inches high. 20 inch opening.

No. 321.
This Summer Piece can be used in 1328 Combination.

No. 1417. Cast Iron Summer Piece.
This Summer Piece can be used in 1349 Combination.

FRAMES AND SUMMER PIECES.
24½ by 30¼. 20 inch opening.

No. 329. 30½ by 30¼.
9 by 12 or 9 by 14 Square Register.

No. 1429. With 9 by 12 Register.

No. 333. 24½ by 30¼. 20 inch opening.
Frame and Summer Piece.
Extra Triple Plated.
Loose Panel. Panel always finished in Oxidized Copper.

No. 1374. Combination Grate.
24½ inches wide, 30¼ inches high. 20 inch opening.

No. 1338. As Combination Grate.
332. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.

No. 1349. As Combination Grate.
1409. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.

No. 1347. As Combination Grate.
1408. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.

No. 1347 D. As Combination Grate.
1408 D. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.

No. 1357. As Combination Grate.
1414. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.

No. 1358. As Combination Grate.
1416. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.

No. 1372—16. As Combination Grate.
1422—16. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.

No. 1359. As Combination Grate.
308. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.

No. 1369. As Combination Grate.
1418. As Frame and Summer Piece.
24½ inches wide, 30¾ inches high. 20 inch opening.

No. 1350.
With Stamped Steel Summer Piece.
Made in two sizes.
24½ inches wide, 30¾ inches high. 20 inch grate.
30½ inches wide, 30¾ inches high. 24 inch grate.
Dumping Bottom 10 inches deep. Damper in Ash Screen.
24 inch Bottom stands on legs.

No. 1381—17. As Combination Grate.
1482—17. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high. 24 inch opening.
Has Stamped Steel Summer Piece.

No. 1381—16. As Combination Grate.
1482—16. As Frame and Summer Piece.
Has Stamped Steel Summer Piece.

No. 1384—17. As Combination Grate.
1484—17. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high. 24 inch opening.
Has Stamped Steel Summer Piece.

No. 1384—16. As Combination Grate.
1484—16. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.
Has Stamped Steel Summer Piece.

No. 1363. As Combination Grate, 24 inch opening.
1468. As Frame and Summer Piece. 24 inch opening.
1475. As Frame and Summer Piece. 26 inch opening.
30½ inches wide, 30¼ inches high,
Stamped Steel Summer Piece.

No. 1366. As Combination Grate.
1477. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.
Stamped Steel Summer Piece.



No. 1367—17. As Combination Grate.
1478—17. As Frame and Summer Piece.
Has Stamped Steel Summer Piece.
30½ inches wide, 30¼ inches high. 24 inch opening.

No. 1367—16. As Combination Grate.
1478—16. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.
Has Stamped Steel Summer Piece.

No. 1365. As Combination Grate.
1476. As Frame and Summer Piece.
30½ inches wide, 30¼ inches high 20 inch opening
Has Stamped Steel Summer Piece.

No. 1361. As Combination Grate.
1456. As Frame and Summer Piece.
24⅛ inches wide, 30¼ inches high. 20 inch opening.
Has Stamped Steel Summer Piece.

No. 1380. As Combination Grate.
1481. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high, 20 inch opening.
Has Stamped Steel Summer Piece.

No. 1383. As Combination Grate.
1483. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 18 inch opening.
Has Stamped Steel Summer Piece.

No. 1385. As Combination Grate.
1485. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.
Has Stamped Steel Summer Piece.

No. 1387. As Combination Grate.
1487. As Frame and Summer Piece.
24½ inches wide, 30¼ inches high. 20 inch opening.
Has Stamped Steel Summer Piece.

No. 1472. 30½ inches wide, 30¼ inches high 24 inch opening.
This Summer Piece can be used in 1363 Combination.

No. 1464. 24½ inches wide, 30¼ inches high. 20 inch opening.
This Summer Piece can be used in 1361 Combination.

FRAMES AND SUMMER PIECES.

Sheet Steel Summer Piece.

No. 1479. Cast Iron Frame and Sheet Steel Summer Piece.

No. 1490. Brass Frame and Plated Steel Summer Piece.

FRAMES AND SUMMER PIECES.

Stamped Steel Summer Pieces.
30½ inches wide, 30¼ inches high. 27½ inch opening.
This Summer Piece can be made any desired size 20 to 28 inches.

No. 359. 30½ by 30¼. 27½ inch opening.



No. 1480. Stamped Steel Frame and Summer Piece.
30½ by 30¼. 24 inch opening.
24½ by 30¼. 20 inch opening.

FRAMES AND SUMMER PIECES.

No. 1388. Three Piece Frame.

No. 1353. One Piece or Solid Frame.

COMBINATION GRATES.

24½ by 30¼. 18 inch opening.
With Flush Lugs and Oval Face Common Basket.
Stamped Steel Summer Piece as shown in 1383 can be used.
No. 1353 can be furnished with a Cast Iron Summer Piece.

No. 1800. Old Colonial or Franklin Fire Place.
A combination of 1430 Frame, 1622-A Lining and 1514 Basket.
For finishes see price list.

No. 1622—B. Franklin Iron Back.
For openings 30 by 30 inches with 1½ inch face Frames.

This Fire Place is adapted to be used with Andirons and Gas Log.



No. 1244. Hob Grate.

Brass frame with Brass hob plates. Frame has 1 inch face.
Made in all sizes, from 30½ to 42½ inches wide.
Always give exact sizes wanted when ordering.
Can be furnished without hob returns if desired, at special prices.



No. 1243.

36½ inches wide, 30¼ inches high. 20 inch Basket.
Frames and hob plates Wrought Iron. Corners and ornaments on hobs Cast Brass.
Brass ash screen with ash pan attached. Black fire bars.
Or can be furnished all Black with ash screen, as shown in 1242, and without corner ornaments.

No. 1242. Wrought Iron Frame.

36½ inches wide, 30¼ inches high. 7 inch hob. 20 inch basket.
30½ inches wide, 30¼ inches high. 4 inch hob. 20 inch basket.
Ash pan attached to screen.
Brass screen shown in 1243 can be used with this hob.



No. 1245. See page 70.

No. 1245. Hob Grate with Hood and Crane.

See Price List for sizes and description.

No. 4. Cast Iron Crane for Brick Setting.
Any Crane Basket can be used with this Crane.

Crane Grate Using Iron Lining.
See cuts below for different styles of Cranes and Baskets.



No. 1. Cast Iron Crane.
Basket 241.

No. 2. Wrought Iron Crane.
Basket 264.

No. 3. Cast Iron Crane.
Basket 1506.

CRANE GRATES.

Can be used either with an Iron Lining or Brick Setting.



No. 1250.



No. 1251.

WROUGHT IRON MANTEL TRIMMINGS.

No. 1236.
Hood No. 1.

No. 1237.
Hood No. 2.

WROUGHT IRON FRAMES WITH HOODS.

Using No. 1235 Frame.
Same pattern of Hoods can be furnished in Brass.
See price list for sizes.

No. 1200. 1½ inch.

No. 1201. 2 inch.

No. 1203. 1⅛ and 1½ inch.

No. 1204. 1½ inch.

No. 1220. 1½ inch.

No. 1226. 1½ inch.

No. 1229. 1½ inch.

No. 1230. 1½ inch.

No. 1231. 1½ inch.

No. 1232. 1½ inch.

No. 1235. 1½ inch.

No. 1234. 2 inch.

BLACK WROUGHT IRON FRAMES.

No. 468. 1½ inch.

No. 440. 1½ and 2 inch.

No. 466. 2 inch.

No. 486. 2 inch.

CAST IRON FRAMES.

No. 726. 2½ inch.

No. 730. 2 inch.

No. 731. 2 inch.

No. 736. 1½ inch.

No. 737. 1½ inch.

No. 738. 1½ inch.

No. 760. 1½ inch.

No. 761. 1½ inch.

CAST BRASS FRAMES.

No. 421. 1, 1½ and 2 inch.

No. 493. 1 inch.

No. 700 1½ inch.

No. 701. 1½ inch.

No. 768. 1¼ inch.

No. 494. ¾ to 1½ inch.
Heavy or light.

Sectional of 494.
1 inch by 1 inch.

Sectional of 495.
1 inch by 1 inch.

No. 772. 1 inch.

No. 762 ¾ inch.

No. 763. ¾ inch

No. 764. 1⅛ inch.

No. 773. ¾ inch.

No. 774. ¾ inch.

No. 771. 1½ inch.

WROUGHT AND STAMPED BRASS FRAMES.

Nos. 762, 763 and 764 can be furnished with adjustable corner pieces.



No. 747. ¾ inch.



No. 492. ¾ inch.



No. 498. ¾ inch

No. 740. ¾ inch.

No. 702. ¾ inch



No. 742. ¾ inch.

No. 743. ¾ inch.

No. 744. ¾ inch.

No. 749. ¾ inch.

Sectional view, full size of moulding used in Nos. 741 to 749. Extra heavy.

WROUGHT BRASS FRAMES.

No. 219. 20 and 24 inches.
Extra Heavy and High.



No. 220. 18 to 30 inches.

No. 225. 20, 21½, 26 and 27 inches.

No. 227. 16, 18, 20, 21½, 24, 26 and 27½ inches.

No. 275. 18, 20, 21½, 24, 26 and 27½ inches.



No. 278 18, 20, 21½, 24, 26 and 27½ inches.

No. 279. 18, 20, 21½, 24, 26, 27½ and 29 inches.



No. 284. Shaking Club House Basket.
20, 21½ and 24 inches.

Side view, showing Shaker Bottom 273 and 284.
20 and 21½ inch, made either 10 or 12 inches deep.
24 inch made 12 inches deep only.

CLUB HOUSE BASKETS.

8, 10 or 12 inches deep. 10 inches always sent unless otherwise ordered.

No. 1515. 18, 20, 22 and 24 inches 11½ inches deep.

No. 1531. 16, 18, 22 and 24 inches. 12½ inches deep.

No. 296. 20½, 23 and 25 inches. 12½ inches deep.

No. 1504. 16, 18, 20, 22, 24, 27 and 36 inches. 12½ inches deep.
18, 20, 22 and 24 inches. 9½ inches deep.

No. 1505. 18½, 21½ and 24½ inches. 12½ inches deep.

No. 299. 20 and 24¾ inches. 12¾ inches deep.

No. 297. 21 and 24 inches. 12¼ inches deep.

No. 298. 21¾ and 25½ inches. 12 inches deep.

No. 1503. 20, 22 and 24 inches. 12¾ inches deep.

PORTABLE BASKETS.

Ash Screens are only sent when ordered. 1504 takes same screen as 1503.
Portable Baskets always sent in Black unless otherwise specified.

No. 237. 20½, 23 and 25 inches. 14½ inches deep.

No. 241. 21, 24 and 30 inches. Plated inside and outside.

No. 213. 23 by 15 inches.

No. 269. 20, 22, 24 and 26 inches. 12½ inches deep.
Screen only sent when ordered.

No. 1501. 24½ inch front. 13 inches deep.

No. 244. 24 and 27 inch front. 14 inches deep.

Portable Baskets always sent in Black unless otherwise specified.

No. 262. 20, 22, 24 and 26 inch.

No. 250. 23 inch front. 13 inches deep.
In plated finish. Front, back and sides are plated.

No. 234. 24 inches. 13½ inches deep.

No. 1511. 23 inch front. 10¾ inches deep.
Fire bars always Black.

No. 214. 24, 30 and 32 inches. 14½ inches deep
Screen included.

No. 1500. 26½, 30¾ and 36½ inches.
14 inches deep.

Portable Baskets always sent in Black unless otherwise specified.



No. 1516. 24 and 26 inches. 13 inches deep.
Screen included.



No. 1519. 24 and 28 inches. 13 inches deep.

No. 1517. 23½ and 27 inches. 13 inches deep.

No. 1518. 23½ and 27 inches. 12 inches deep.

No. 1510. 27 inch front. 13¾ inches deep.

No. 1509. 26¾ inch front. 14½ inches deep.

No. 233. 26 inches only. Plated inside and outside.
15 inches deep.

No. 1507. 24½ inch front. 12¾ inches deep.

No. 1513. 24¼ by 13½ inches deep.

Portable Baskets always sent in Black unless otherwise specified.

No. 215. Extreme width over feet, 21, 24 and 28½ inches.
13½ inches deep.

No. 216. 16 by 10 inches deep.
19½ and 21 by 11½ inches deep. 23 by 14½ inches deep.
For extreme width over feet add 4 inches.

No. 238. 23½ by 15 inches.



No. 218. Same sizes as 216.



No. 242. 21, 24 and 30 inches. 14½ inches deep.
21 and 24 inches. 9 inches deep.
Made in Black only, but can be furnished with solid Brass knobs.



No. 1532. 23 by 13 inches. 26½ by 15½ inches.



No. 1502. 20, 22, 24, inches.
12½ inches deep.



No. 1530. 22 and 24 by 12 inches deep.
27 and 30 by 14 inches deep.



No. 210. 18 and 20 inches. 11 inches deep.
23, 26, 30 and 36 by 13 inches deep.

Portable Baskets always sent in Black unless otherwise specified.

No. 1508. 23½ by 12¾ inches. Back 25 inches high.
Standards either all Iron or with Brass balls.

No. 256. 21½ inch front. 14 inches deep.
Wrought bars. Malleable andirons.

No. 255. 24½ inch front. 13½ inches deep.
Wrought bars and andirons.



No. 1514. 23½ by 12¾ inches.

No. 1533. Extreme width 28 inches.

No. 218. 19 or 23 inch body.
With colored glass jewels in front and sides. Broken glass on top of wire netting. Can be used with gas or electric light.

Portable Baskets always sent in Black unless otherwise specified.



No. 1521. 20 to 24 inches.



No. 1522. 20 to 24 inches. 15 inches deep.



No. 294. 20, 22 and 24 inches.



No. 291. 20 to 30 inches.

No. 293. 24 to 33 inches. 13 inches deep.



No. 1520. 20 to 24 inches.

BLACK WROUGHT IRON BASKETS.

IRON FIRE PLACE LININGS.

Regular linings are 29½ inches high.

Measurements given are for inside widths.

Sizes given are regular patterns; sizes different are special and cost extra.

HEIGHT CAN ONLY BE INCREASED by adding plain strips, either at top or bottom, except where increase will justify; in Nos. 4, 35, 36, 42, 66, and 84, they can be increased with figure carried ont.

Nos. 4, 35, 36, 42, 60 and 66 can be made any desired size, either in height and width, and figure carried out. "A" SERIES CANNOT BE INCREASED IN WIDTH.

Linings 30 inches wide and larger are made extra heavy.

We do not gnarantee Class A Linings from fire crack, unless they are ordered specially extra heavy, for which special charge will be made.

Linings for wood fires are required to be EXTRA HEAVY and orders must so specify, for which a special price will be charged, in accordance to weight added. Extra charge always made for all alterations.

Fifteen inch sides always sent unless otherwise specified.

No. 6. 24 inch back, 13, 15 and 18 inch sides.
Extra heavy.

No. 49. 24 and 27 inch back. 15 and 18 inch sides.
Extra heavy.

IRON FIRE PLACE LININGS.

"OLD DUTCH."

No. 1. Plain, no decoration.
Made in any desired size and weight.
Regular patterns are 20, 24, 27, 30 and 36 inch back.



No. 4. 20 and 24 inch back. Light.
30 and 36 inch back. Heavy.
12, 15, 18 and 20 inch sides.

IRON FIRE PLACE LININGS.



No. 35. 20, 24, 27, 30, 36 and 40 inch back.
12, 15, 18 and 20 inch sides.



No. 36. 20, 24, 27, 30, 36 and 40 inch back.
12, 15, 18 and 20 inch sides.

IRON FIRE PLACE LININGS.

Heavy.

No. 39. 20, 24, 27 and 30 inch back.
12, 15, 18 and 20 inch sides.
Light.

No. 40. 24 and 27 inch back.
15, 18 and 20 inch sides.
Heavy.

IRON FIRE PLACE LININGS.

No. 43. 24, 27 and 30 inch back.
12, 15, 18 and 20 inch sides.
Extra heavy.

No. 52. 24 and 28 inch back.
15, 18 and 20 inch sides
Heavy.

IRON FIRE PLACE LININGS

No. 58. 24, 27, 30 and 36 inch back.
12, 15, 18 and 20 inch sides.
Medium.

No. 60. 20, 24, 27 and 30 inch back.
12, 15, 18 and 20 inch sides.
Medium.

IRON FIRE PLACE LININGS.



No. 63. 20, 22, 24, 27, 30 and 36 inch back.
12, 15 and 18 inch sides.
A series.

No. 66. 20, 24, 27, 30, 36, 40 and 42 inch back.
12, 15, 18 and 20 inch sides.
Extra heavy.

IRON FIRE PLACE LININGS.



No. 42. 20, 24, 27, 30, 36 and 40 inch back.
12, 15, 18 and 20 inch sides.
Extra heavy.

76. 20 and 24 inch back only.
12 15, and 18 inch sides.
Light. A series.



No. 88. 20 and 24 inch back.
12 and 15 inch sides only.
Light. A series.

IRON FIRE PLACE LININGS.



No. 84. Extra heavy, 24, 27, 30 and 36 inch back.
85. { Light weight, 20, 22 and 24 inch back. 12, 15 and 18 inch sides. A series.

No. 68. 24, 27 and 30 inch back.
12, 15, 18 and 20 inch sides.
Plain sides.
Extra heavy.

IRON FIRE PLACE LININGS.

No. 67. 24 and 27 inch back
12, 15 and 18 inch sides.

No. 69. 24 and 27 inch back.
12, 15 and 18 inch sides.

IRON FIRE PLACE LININGS.

Medium.

No. 77. 20, 22, 24, 27 and 30 inch back.
12, 15 and 18 inch sides.

No. 78. 20 and 24 inch back only.
12, 15 and 18 inch sides.

IRON FIRE PLACE LININGS.

A series.

No 70. 24, 27 and 30 inch back.
12, 15 and 18 inch sides.

No. 80. 20, 24 and 30 inch back.
12, 15, 18 and 20 inch sides.

IRON FIRE PLACE LININGS.

Medium.

No. 72. 24 and 27 inch back.
12, 15, 18 and 20 inch sides.

No. 75. 24, 27 and 30 inch back.
12, 15, 18 and 20 inch sides.

IRON FIRE PLACE LININGS.

Can be increased in width by adding plain strips.
Decorations can not be altered.

No. 82. 18, 20, 22, 24, 27 and 30 inch back.
12, 15 and 18 inch sides.

No. 86. 20, 24 and 30 inch back.
12, 15 and 18 inch sides.

IRON FIRE PLACE LININGS.

A series.

No. 81. 30 and 36 inch back.
15, 18 and 20 inch sides.
Extra heavy.

No. 83. 24 and 30 inch back.
15, 18 and 20 inch sides.
Extra heavy.

IRON FIRE PLACE LININGS.

No. 87. 20, 22 and 24 inch back.
12, 15 and 18 inch sides.
A series.

No. 95. 20, 22, 24, 27 and 30 inch back.
12, 15, 18 and 20 inch sides.

IRON FIRE PLACE LININGS.

A series.

No. 89. 20, 24 and 27 inch back only.
12, 15 and 18 inch sides.
Figured or plain sides.



No. 90. 20, 24 and 30 inch back only.
12, 15 and 18 inch sides.
No. 89 or plain sides used with this back.

IRON FIRE PLACE LININGS.

A series.

No. 91. 24, 27 and 30 inch back.
12, 15 and 18 inch sides.



No. 92. 24, 27 and 30 inch back.
12, 15 and 18 inch sides.

IRON FIRE PLACE LININGS.

A series.

No. 93. 20, 24, 27 and 30 inch back.
12, 15 and 18 inch sides.
Light weight.

No. 94. 24, 27 and 30 inch back.
12, 15 and 18 inch sides.
Medium weight.

IRON FIRE PLACE LININGS.

A series.

No. 96. 24, 27 and 30 inch back.
12, 15 and 18 inch sides.



No. 1624. 18, 20, 24 and 27 inch back.
12, 15 and 18 inch sides.

IRON FIRE PLACE LININGS

A series.



No. 99. Curved sides. 22 and 27 inch back. 15 and 18 inch sides.
22 inch back for 30 to 36 inch opening.
27 inch back for 36 to 40 inch opening.

No. 1621. 24 inch back.
12, 15 and 18 inch sides.
Heavy weight.

No. 1623. 20, 22 and 24 inch back.
12, 15 and 18 inch sides.

IRON FIRE PLACE LININGS

No. 1617. 24 inch back.
12, 15 and 18 inch sides.

No. 1618. 24 inch back
12, 15 and 18 inch sides.

IRON FIRE PLACE LININGS.



No. 1619.



No. 1620.

IRON FIRE PLACE LININGS.

24 inch back. 15 inch sides. Damper included.
One size only.

No. 1610. Iron Fire Place Lining.
Regular size 36½ by 32½ inches.
Extra heavy. Plain sides.
Can be increased to any desired size. Can be made 30 inches high.

No. 1611. Iron Fire Place Lining.
Regular size 30 by 29¾ inches.
Extra heavy. Plain sides.
Can be increased to any desired size.
Monogram or year can be cast on center panel.

No. 1612. Iron Fire Place Lining.
Regular size 30 by 29¾ inches.
Extra heavy. Plain sides.
Can be increased to any desired size.

No. 1613. Iron Fire Place Lining.
Regular size 36½ by 29¾ inches.
Extra heavy. Plain sides.
Can be increased to any desired size.
Monogram or year can be cast on center panel.

No. 1616. Iron Fire Place Lining.
Regular size 36 by 30 inches.
Extra heavy. Plain sides.
Can be increased to any desired size.
Monogram or year can be cast on center panel.

No. 1606. Extreme width 30 inches, height 24½ inches.

No. 1603. 24¾ inches wide, 24 inches high.

IRON SHIELDS.

For brick fire places. To be fastened in with expansion bolts.
Extra heavy.
Monogram or year can be cast on center panel.

No. 1605. Extreme width 36 inches, 23½ inches high.

No. 1604. Extreme width 24½ inches, 20 inches high.

IRON SHIELDS.

For brick fire places. To be fastened in with expansion bolts.
Extra heavy.
Monogram or year can be cast on center panel of 1605.



No. 1600. 24 inch back.
12 and 15 inch sides.

No. 1602. 20, 24 and 27 inch back.
12 and 15 inch sides.

FIRE PLACE LININGS.

Stamped Sheet Steel.

No. 1736. 27½ inches high.

No. 1737. 26 inches high.

No. 1738. 30½ inches high.



No. 1735. 20 inches high

No. 1731. 20¾ inches high.

No. 1730. 19½ inches high

BRASS ANDIRONS.



No 1739. 22 inches high.

No. 1740. 21 inches high.

No. 585. 21½ inches high.

No. 559. 19½ inches high.



No. 590. 17½ inches high.

No. 518. 21 inches high.

BRASS ANDIRONS.

Cast Brass.

No. 580. 22½ inches high.

No. 587. 18 inches high.

No. 550. 22 inches high.

No. 1741. 15¼ inches high.

No. 1742. 15 inches high.

No. 591. 19½ inches high.

BRASS ANDIRONS.

Cast Brass.

No. 584. 17½ inches high.
582. 21 inches high.

No. 541. 18 inches high.

No. 540. 21 inches high.

No. 546. 21 inches high.

No. 542. 19 inches high.

No. 1734. 14 inches high.

No. 544. 20 inches high.

No. 1732. 20 inches high.

No. 1733. 16½ inches high.

BRASS ANDIRONS.

No. 560. 30 inches high.
Extra heavy. Bar 36 inches long



No. 1712. 27 inches high



No. 1723. 24 inches high

No. 1724.

No. 561. 24 inches high.

No. 568. 24 inches high.

WROUGHT IRON ANDIRONS.

No. 1718. 26 inches high.
Light.

No. 1719. 30 inches high.
Heavy.

No. 1717. 24 inches high.

No. 1721. 26 inches high.



No. 1710. 27 inches high.

No. 1722. 24 inches high.

WROUGHT IRON ANDIRONS.

No. 562. 21 inches high.
Light.

No. 576. 26 inches high.
Medium weight.

No. 1716. 17 inches high.



No. 1711. 24 inches high.



No. 563. 27 inches high.
Heavy.

No. 573. 24 inches high.

WROUGHT IRON ANDIRONS.



No. 521. 30 inches high.



No. 520. 31 inches high.

No. 1705. 35½ inches high.

No. 1700. 28 inches high.



No. 1701. 20 inches high.



No. 1702. 22 inches high.

CAST IRON ANDIRONS.

No. 523. 27½ inches high.

No. 1703. 32½ inches high.
1706. 24 inches high

No. 515. 30½ inches high.

No. 524. 26 inches high.

No. 1751. 22 inches high.

No. 1752. 16¼ inches high.

CAST IRON ANDIRONS.

No 1750. 18 inches high.

No. 1704. 20¾ inches high

No. 1709. 19½ inches high.

No. 529–B. 20¾ inches high. Square shaft.
528—B. 20¾ inches high. Round shaft.

No. 1704—B. 20¾ inches high.

No. 1709—B. 19½ inches high.

CAST IRON ANDIRONS.

With heavy ventilated shanks for wood fires.
Shanks with 1704—B weigh 70 pounds, can be adapted or used with any pair of irons.

No. 593. 18 inches high.

No. 595. All cast iron.
596. With brass ball.
21 inches high.

No. 597. All cast iron.
598. With brass ball
21 inches high.

No. 599. 18 inches high.

No. 1755. 18 inches high.

No. 571 24 inches high.
Front and side view.

No. 1754. 18 inches high.

No. 1753—A. With heavy shank
for wood fires.
13¾ inches high.

No. 1753—B. 13¾ inches high.

CAST IRON ANDIRONS.

No. 512. 20 inches high.

No. 513. 22 inches high.

No. 525. 16 inches high.

No. 526. 16½ inches high.

No. 530. 21 inches high.

No. 534. 20 inches high.

No. 535. 19 inches high.



No. 537. 18 or 22 inches high.



No. 538. 21 inches high.

No. 592. 20 inches high.

CAST IRON ANDIRONS.

BLACK WROUGHT IRON.

No. 661. 41, 47 and 53 inches long.

No. 662. 41, 47 and 53 inches long.

BLACK CAST IRON.

No. 650. 32, 39 and 47 inches long.

No. 654. 35, 41 and 47 inches long.

No. 600. With plain rail. No. 603. With fancy rail.



No. 601. With plain rail. No. 604. With fancy rail.



No. 602. With plain rail. No. 605. With fancy rail.

No. 606. With fancy rail. No. 607. With plain rail.



No. 608. With fancy rail. No. 609. With plain rail.

No. 610. With fancy rail. No. 611. With plain rail.

No. 612. 42 inches long.

No. 613. 42 inches long.

No. 614. 42 inches long.

BRASS FENDERS.

Made any desired size. 42 inch carried in stock.

No. 898.

No. 899.



No. 883.

No. 884.

BRASS FIRE SETS.

No. 890.

No. 891.

No. 892.

No. 880.

No. 881.

No. 882.

No. 895.

No. 897.

No. 886.

No. 887.

No. 888.

No 889.

BRASS FIRE SETS.



No. 870. 36 inches high.

No. 862. 30 inches high



No. 866. 30 inches high.



No. 850. 31 inches high.

No. 868. 39 inches high.



No. 869. 32 inches high.

WROUGHT IRON FIRE SETS.



No. 9 Dome 10 inches wide at base.



No. 1.

No. 10.

No. 5 AND 11.

DOME DAMPER.

No. 12. 24 to 50 inches long by 15 inches wide. 5½ inch dome.
13. 24 to 36 inches long by 13 inches wide. 3½ inch dome.



DOME DAMPER.

Showing damper when in position.

No 1. Damper door.
2. Knee joint.
3. Damper rod.
4. Thumb latch, used to open and close damper door.

DAMPERS.

See price list for sizes.



PAGE PATENT.
Front view, partly open.



AUTOMATIC ASH TRAP.
Size 7 by 9 inches.



COMMON ASH TRAP
Size, 9 by 11 inches.
Size, 7 by 9 inches



HARRIS PATENT AUTOMATIC.



NEW YORK. 9 by 11. Extra heavy.
BOSTON. 7 by 10.



THE PEERLESS ASH TRAP.

Opens either automatically or with lever.

Has cinder guard to keep chute from becoming clogged with cinders or coal, also saving coal.

Made in sizes suitable for either small or large fire places.

No. 1. Frame outside, 13 by 7 in. Opening 11 by 5 in.
2. Frame outside, 13 by 9 in. Opening 11 by 7 in.
3. Frame outside, 16 by 9 in. Opening 14 by 7 in.

Pocket 6 inches deep.
Can be furnished without cinder guard if desired.



ASH PIT DOOR—HINGED DOOR.
Opening, 8 by 12, 10 by 12, 12 by 12, 12 by 16 and 14 by 20 inches.

GAS LOG RESTS OR STANDS.
10, 12, 14 and 16 inches by 8 inches high.



SDLID NURSERY FENDER DR GUARD.

18, 24 or 30 inches high. 32, 34 or 36 inches long.
Made of coppered, tinned wire, lined or unlined, with black wrought iron top and base.
Put up in uests with one of each length.

HEAVY BDSTDN GUARD.

Made of heavy black wire, 6 by 6 mesh, heavy wire frame.
Brass trimmings or all solid brass.



FLAT SPARK GUARD DR SCREEN.

With or without cut for andirons. Made of heavy black wire, fancy wrought iron legs.
Brass handles and ornaments, or can be furnished in all brass.



SPARK GUARD.

Square or circular top. Made either in coppered, tinned or brass, full lined with fine wire cloth. Regular sizes, 24 by 30, 30 by 30 and 36 by 30 inches.



No. 673. 20 to 30 inches high.



Nos. 670 and 671. 20 to 30 inches high

No. 672. 24 inches high.

IMPORTED FRENCH FOLDING SCREENS.



No. 643. Black Folding Fender or Guard.
Three folds. 30, 35 or 41 inches long. 12 inches deep. 18, 20 or 24 inches high.
Made of heavy black wire; heavily braced.



No. 640. Black Folding Fender or Guard.
Folds 16 inches wide. 18, 20 or 24 inches high.
Made of heavy black wire; heavily braced.

EXTRA HEAVY FOLDING GUARDS.

INDEX.

Andirons, Wrought Iron 123-125
Andirons, Brass 119-122
Andirons, Cast Iron . . . . . 127 to 130
Ash Pit Doors 137
Ash Traps and Dumps 137
Baskets, Club House 78
Baskets, Flat Faced 39
Baskets, Shaking Club House 78
Baskets, Portable . . . . . 79 to 85
Buckeye Grates . . . . . 15 to 23
Combination Grates . . . . . 39 to 67
Clay Balls or Fillers 36
Dampers 136
Frames and Summer Pieces . . . . . 41 to 67
Frames, Brass . . . . . 75 to 77
Frames, Plated Iron 75
Frames, Wrought Iron 73-74
Fire Sets, Wrought Iron 135
Fire Sets, Brass 133-134
Fenders, Iron 131
Fenders, Brass 132-133
Fenders, Folding 138
Gas Log Rests 137
Gas Logs 37
Gas Grates . . . . . } 25 to 36
Gas Log Grates . . . . . }
Gas Burners, English 36
Gas Fillers 36
Grates, Crane 71
Grates, Old Colonial 68
Grates, Hob 69-70
Guards, Folding 139
Hoods, Brass and Iron 73
Linings, Fire Place . . . . . 87 to 118
Linings, Stamped Sheet Steel 118
Majestic Grates 14
Monarch Grates . . . . . 3 to 13
Nursery Guards 138
Spark Guards 138-9
Summer Pieces, Special sizes 65-66
Wrought Iron, Mantel Trimmings 72